



Research Vessels

Grant Rawlinson, Regional Sales Manager, Subsea



KONGSBERG

Kongsberg Maritime, Horten, Norway







KONGSBERG




HYDROGRAPHY





Multibeam Echosounders








Scientific Sonar Systems for fishery research



Sub bottom profilers




Products for any subsea applications



Surveillance



Fishery /
Research




AUV





Seabed
mapping



Under water
navigation



Naval
sonars



...just a small taste of a variety of products
THE FULL PICTURE





KONGSBERG



CSIRO- Future Research Vessel

‘RV Investigator’




“The new vessel will be capable of operating continuously for 60 days at sea, cruising at 12 knots over a range of 10 000 nautical miles.”

Full Picture of Kongsberg Equipment



DP – Dynamic Positioning and Navigation System



Fisheries

EK60 – 6 frequencies (18,38,70,120,200,333)

ME70 – Scientific multibeam

ITI – Integrated Trawl Instrumentation

SH90 – Omni-directional sonar

ABBREVIATIONS

Hydrographic

EM122 - 1 x 1 degree

SBP-120 - 3 degree

EM710 - 0.5 x 1 degree


EA600 12Khz singlebeam echosounder

Seapath 330+ positioning system

K-Sync – Synchronisation unit

EN250 – Navigational echosounder

3rd party equip ADCP, SpeedLog



Maintenance Contract,
Extended warranty, Spare
parts, service visits

Design Criteria



Technical Profile

Research Vessel: Multi-purpose

Length Overall: 88.9 m

Beam: 18.5 m

Draft: 5.5 m

Lloyds Classification: +100A1,

+LMC, UMS, Ice 1c, IWS, EP,

Research Vessel, DP (AM),


DnV Silent R

Crew: 18 TBC

Science Complement: 40


Gross tonnage: TBA

RV – Investigator



DNV Silent-R: The *RV-Investigator* will operate with low levels of radiated noise to allow for enhanced science operations

DNV Silent-R



Vessel Speed 11 knots

Hydrophones located
at 100m water depth



Hydrophone




Normal




Silent R



Gondola Design - CSIRO




Installation is very important!





KONGSBERG

2010-02-18 09:47:31



Specifications

309.6. Shallow water multibeam scientific and fisheries echo sounder system:

- Fixed gondola mount;
- 70kHz - 120kHz, Simrad ME70 or similar.

309.7. Shallow water multibeam scientific echo sounder system:

- Fixed gondola mount;
- Capable of hydrographic soundings to IHO S44 (Order 1 Survey) standard; and
- 0.5° x 1° 70kHz - 100kHz, Simrad EM710 or similar.

309.8. Medium depth multibeam system:

- Fixed gondola mount; and
- 10-4000 m 0.5° x 1°, 30-34kHz, Kongsberg EM302 or similar.

309.9. Full ocean depth multibeam system:

- Fixed gondola mount; and
- 0.5° x 1° 12kHz, Kongsberg EM122 or similar (1 x 1 or 1 x 2 may be considered if the respondent provides detailed reasons)

309.10. Sub-bottom profiler integrated with 12kHz multibeam:

- Fixed gondola mount; and
- Kongsberg SBP120 or similar.

309.11. Multi-frequency hydrophones:

Multi-frequency hydrophones suitable for monitoring self noise and measuring ambient environmental noise:

Indonesian Navy

Hydrographic/Oceanographic - 2 x Research vessels 2015



Kongsberg Maritime Scope of Supply



2 x new vessels each with following equipment:

EM302 deepwater multibeam (7000m)

EM2040 shallow water multibeam (500m)

EA600/400 singlebeam echosounder

SEAPATH 300 positioning system

KONGSBERG GEOACOUSTICS Sidescan Sonar

HUGIN AUV – 1000m

Survey acquisition & control room onboard



HUGIN AUV on back deck of KRI RIGEL



HUGIN AUV on back deck of KRI RIGEL



RV SONNE



Background

- Owned by the German Ministry of Research
- Built by Meyer Werft in Papenburg
- Operated by RF Forschungsschiffahrt GmbH in Bremerhaven
- The vessel will be used for multi-discipline research by the universities, which include the University of Bremen/Hamburg, IOW Rostock, BGR Hannover, IFM Geomar Kiel and several others.
- The ship will operate mainly in the Pacific and the Indian Oceans.





FUGRO 3 x Newbuild Survey Vessels



- Survey vessel
- Fugro owned
- Length over all 65.68 m
- Beam moulded 14.00 m
- Design draught 4.20 m
- Displacement 1854 t
- Speed 12.8 knots
- Total power 3 x 1190 kW
- Total propulsion 2200 kW

www.fugro.com






KD Mutiara - Royal Malaysian Navy (R.M.N)

- EM302 deepwater multibeam
- Seapath 330 positioning system
- EA400/EA600 singlebeam echosounder
- EM2040C dual




EM[®] 2040C
Multibeam echo sounder





Why do you buy a Research Vessel?

THE DATA



Thank you.